





































- (SEMANTiCS) (pp. 32–40). New York, NY, USA: ACM. Retrieved from <http://doi.acm.org/10.1145/2660517.2660523> doi: 10.1145/2660517.2660523
- Ryman, A. (2014, February). Resource Shape 2.0 (W3C Member Submission). W3C. Retrieved from <http://www.w3.org/Submission/2014/SUBM-shapes-20140211/> (<http://www.w3.org/Submission/2014/SUBM-shapes-20140211/>)
- Ryman, A. G., Hors, A. L., & Speicher, S. (2013). OSLC Resource Shape: A Language for Defining Constraints on Linked Data. In C. Bizer, T. Heath, T. Berners-Lee, M. Hausenblas, & S. Auer (Eds.), Proceedings of the International World Wide Web Conference (WWW), Workshop on Linked Data on the Web (LDOW) (Vol. 996). CEUR-WS.org. Retrieved from <http://dblp.uni-trier.de/db/conf/www/ldow2013.html#RymanHS13>
- Schneider, M. (2009, October). OWL 2 Web Ontology Language RDF-Based Semantics (W3C Recommendation). W3C. (<http://www.w3.org/TR/2009/REC-owl2-rdf-based-semantics-20091027/>)
- Sirin, E., Parsia, B., Grau, B. C., Kalyanpur, A., & Katz, Y. (2007). Pellet: A Practical OWL-DL Reasoner. Web Semantics: Science, Services and Agents on the World Wide Web, 5(2), 51–53.
- Solbrig, H., & Prud'hommeaux, E. (2014, June). Shape Expressions 1.0 Definition (W3C Member Submission). W3C. Retrieved from <http://www.w3.org/Submission/2014/SUBM-shex-defn-20140602/> (<http://www.w3.org/Submission/2014/SUBM-shex-defn-20140602/>)